DFIC 215

Ficus carica L. MORACEAE

Cultivar name: White San Pedro.

Donated from: California, United States (Comment: Donated to NCGR, Davis; 1 plant received.

Kennedy received from Patrick Schafer)

Maintained by the Natl. Germplasm Repository - Davis. NPGS received: 27-Feb-2003. Life

form: Tree. Form received: Plant.

Accession names and identifiers

White San Pedro

Type: CULTIVAR.

DFIC 215

Type: SITE.

San Pedro White

Type: OTHER.

Apple

Type: OTHER.

Saint Peter

Type: OTHER.

Availability

Material not available at this time, contact the maintenance site for more information.

Narrative

Per Condit: Fig Varieties (see citation): "Since about 1885, San Pedro has been widely distributed in California, but nowhere has it achieved commercial importance, despite the advertisement of one California nursery that 'as a table fig this one is unsurpassed, and will exclude all others on the market.' The tree is rather open, with drooping branches; terminal buds are green. Leaves variable in size and lobing, mostly 3 or 5 lobed; surface somewhat glossy; upper sinuses of medium depth and width, lower very shallow, broad; base shallowly subcordate to truncate; margins coarsely and shallowly crenate. Breba crop good; figs above medium to large, turbinate, with prominent, thick neck, or sometimes spherical without neck; average weight 78 grams; stalk short; ribs fairly prominent; white flecks variable, conspicuous on some specimens, few on others; eye large, scales straw color, erect; surface glossy, with

delicate bloom; color yellowish green; meat white; pulp amber, tinged with strawberry; flavor moderately rich; quality fair to good. Second-crop figs medium to large, up to 2 inches in diameter and about the same in length, spherical or oblate, with short stalk; neck variable, present and prominent, or missing; average weight 58 grams; ribs broad, prominent; eye large, open, but internally closed by scales; surface glossy; bloom fairly heavy; white flecks large, scattered, conspicuous; skin thick, rubbery in texture; color green to yellowish green; meat white, thick; pulp strawberry; seeds fertile, numerous; texture gelatinous; flavor insipid, flat; quality fair to poor. Fruit inclined to split when nearing full maturity. Of little value, either fresh or dried."

Source History

- Type: Donated. Date: 27-Feb-2003. From: California, United States. Cooperators:
 - 1. Kennedy, C., California Rare Fruit Growers.
 - 2. Schafer, P...

Comment: Donated to NCGR, Davis; 1 plant received. Kennedy received from Patrick Schafer.

Citations

Reference: Condit. 1955. Fig Varieties. pg. 363-364.

| <u>USDA</u> | <u>ARS</u> | <u>GRIN</u> | <u>NPGS</u> | <u>New Search</u> |

Cite as: USDA, ARS, National Genetic Resources Program.

Germplasm Resources

Information Network -

(GRIN) . [Online Database] National Germplasm Resources Laboratory, Beltsville, Maryland. Available: http://www.ars-grin.gov/cgi-bin/npgs/acc/display.pl?1643967 (15 February 2008)

Please send comments to the Database Management Unit at: dbmu@ars-grin.gov