



- [Home](#)
- [Varieties](#)
- [Fruit Calendar](#)
- [Recipes](#)
- [Growing](#)
- [FAQ](#)
- [Where to Buy](#)
- [About](#)

**incredible edibles®**

- [Avocado](#)
- [Banana](#)
- [Berry Delight™](#)
- [Black Currant](#)
- [Blackberry](#)
- [Blueberry](#)
- [Boysenberry Brulee](#)
- [Cape Gooseberry](#)
- [Casana](#)
- [Casimiroa](#)
- [Cherimoya](#)
- [Chilean Guava](#)
- [Citrus](#)
- [Cocktail Kiwi](#)
- [Coffee](#)
- [Cranberry](#)
- [Currant](#)
- [Feijoa](#)
- [Figs](#)
- [Giant Granadilla Passionfruit](#)
- [Gooseberry](#)
- [Grape](#)
- [Guava](#)
- [Inga Bean](#)
- [Japanese Raisin Tree](#)
- [Lemongrass](#)
- [Loganberry Waimate](#)
- [Loquat](#)
- [Mountain Paw Paw](#)
- [Naranjilla](#)
- [Olives](#)
- [Orangeberry](#)
- [Passionfruit](#)
- [Pepino](#)
- [Persimmon Fuyu](#)
- [Pine Nut](#)

---

### **Figs Bidwell Estate**

Brown to purple skin with purple flesh. Medium pyriform shaped fruit.

**Habit** - Large round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 4 - 5 metres.

**Pollination** - No pollination required.

**Harvest** - Main crop very late. Similar to Harcourt Park.

---

### **Figs Black Pouta**

Dark skin with red flesh. Small to medium sized fruit.

**Habit** - Large round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 4 - 5 metres.

**Pollination** - No pollination required.

**Harvest** - Main crop late. Simialar to Black Koanga.

[Pomegranate](#)

[Raspberry](#)

[Red Banana Passionfruit](#)

[Red Pineapple](#)

[Strawberry](#)

[Sugarcane](#)

[Sweet Granadilla](#)

[Passionfruit](#)

[Tamarillo](#)

[Tea](#)

[The Guava](#)



---

## Figs Brown Turkey

Large pyriform shaped fig. Yellow/brown soft flesh, with edible seeds which have a nutty taste like dried figs. Fairly tough skin and when ripe have a green/brown/purple hue.



**Habit** - Round top spreading tree. Figs will begin to bear fruit after 3-5 years

**Size** - 4 - 5 metres.

**Pollination** - No pollination required.

**Harvest** - First crop or breba figs form on last years, growth and will not grow until spring. These ripen December- January depending on site. Second crop figs form during the summer growing season and ripen in the Autumn. To enhance development of late crop figs tip the new shoots to 4 or 5 leaves in mid December. Breba crop, main crop early - February.

---

## Figs Brunoro Black

Similar to Black Mission. Dark purple to black skin with red flesh. Small to medium pyriform shaped fruit.

**Habit** - Large round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 4 - 5 metres.

**Pollination** - No pollination required.



**Harvest** - First crop or breba figs form on last years, growth and will not grow until spring. These ripen December- January depending on site and variety selected. Second crop figs form during the summer growing season and ripen in the Autumn, from late March to May. To enhance development of late crop figs tip the new shoots to 4 or 5 leaves in mid December. Breba crop, main crop late - April- May.

---

### **Figs Brunswick**

Brown/voilet/bronze skin with pink flesh. Large oblique pyriform shaped fruit.



**Habit** - Large round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 4 - 5 metres.

**Pollination** - No pollination required.

**Harvest** - First crop or breba figs form on last years, growth and will not grow until spring. These ripen December- January depending on site and variety selected. Second crop figs form during the summer growing season and ripen in the Autumn, from late March to May. To enhance development of late crop figs tip the new shoots to 4 or 5 leaves in mid December. Breba crop, main crop mid-March.

---

### **Figs Cape White**

Green/yellow skin with amber flesh. Medium pyriform shaped fruit.

**Habit** - Large round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 4 - 5 metres.

**Pollination** - No pollination required.

**Harvest** - First crop or breba figs form on last years, growth and will not grow until spring. These ripen December- January depending on site and variety selected. Second crop figs form during the summer growing season and ripen in the Autumn, from late March to May. To enhance development of late crop figs tip the new shoots to 4 or 5 leaves in mid December. Breba crop, main crop early - February.

---

### **Figs Celeste**

Brown/purple skin with red flesh. Small pyriform shaped fruit.

**Habit** - Large round top spreading tree.  
Figs will begin to bear fruit after 3-5 years.

**Size** - 4 - 5 metres.

**Pollination** - No pollination required.

**Harvest** - Main crop mid to late - March/April.



---

## Figs Contain that Fig

Select a fig of your choice from your local garden centre. Plant it in a pot up to five times larger than existing pot. Stake to ensure it grows straight. Remove all side branches as it grows until it reaches 1.5 metres high, remove the growing tip. Allow 4-5 branches within 500mm of the top to grow. This will give an overall head of 1.5 to 2 metres high. Before spring each year trim back branches by a third to encourage compact growth. An annual feed in spring and again in summer with general NPK slow release fertiliser.



**Habit -**

**Size -**

**Pollination -**

**Harvest -**

---

## Figs Flanders

Brown skin with red flesh. Medium to large fruit.

**Habit -** Large round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size -** 4 - 5 metres.

**Pollination -** No pollination required.

**Harvest -** Main crop late - April/May.

---

## Figs French Sugar

Green/brown skin with amber/pink flesh. Large pyriform shaped fruit.

**Habit** - Large round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 4 - 5 metres.

**Pollination** - No pollination required.

**Harvest** - First crop or breba figs form on last years, growth and will not grow until spring. These ripen December- January depending on site and variety selected. Second crop figs form during the summer growing season and ripen in the Autumn, from late March to May. To enhance development of late crop figs tip the new shoots to 4 or 5 leaves in mid December. Breba crop, main crop early - February.

---

## Figs Herne Bay

Yellow top and purple/red lower skin with red/honey flesh. Large oblique pyriform shaped fruit.

**Habit** - Large round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 4 - 5 metres.

**Pollination** - No pollination required.

**Harvest** - First crop or breba figs form on last years, growth and will not grow until spring. These ripen December- January depending on site and variety selected. Second crop figs form during the summer growing season and ripen in



the Autumn, from late March to May. To enhance development of late crop figs tip the new shoots to 4 or 5 leaves in mid December. Breba crop, main crop very late - April/May.

---

### **Figs Kerikeri Dwarf**

Green/brown skin with red/amber flesh.  
Medium to large pyriform shaped fruit.

**Habit** - Round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 3-4 metres.

**Pollination** - No pollination required.

**Harvest** - Main crop early February/March.

---



### **Figs Malta Type 1**

Bronze to dark brown/purple skin with red flesh. Small/medium conical shaped fruit.

**Habit** - Round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 4-5 metres.

**Pollination** - No pollination required.

**Harvest** - Main crop early to mid - March. Similar to Crnica (pronounced Synitica)



---

### Figs Mrs Williams

large pyriform shaped fig. Yellow neck and brown to purple skin with red flesh.

**Habit** - Round top spreading tree. Figs will begin to bear fruit after 3-5 years

**Size** - 4 - 5 metres.



**Pollination** - No pollination required.

**Harvest** - First crop or breba figs form on last years, growth and will not grow until spring. These ripen December- January depending on site and variety selected. Second crop figs form during the summer growing season and ripen in the Autumn, from late March to May. To enhance development of late crop figs tip the new shoots to 4 or 5 leaves in mid December. Breba crop, main crop late - April.

---

### Figs Oakura

Green skin with red flesh. Large long conical shaped fruit.

**Habit** - Round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 4-5 metres.

**Pollination** - No pollination required.

**Harvest** - First crop or breba figs form on last years, growth and will not grow until spring. These ripen December- January depending on site and variety selected. Second crop figs form during the summer growing season and ripen in the Autumn, from late March to May. To enhance development of late crop figs tip the new shoots to 4 or 5 leaves in mid December. Breba crop, main crop mid to late - April/May. Similar to Gross Longue Verte.



---

### **Figs Panache**

Green/yellow striped skin with red/cherry flesh. Small/medium conical shaped fruit.

**Habit** - Round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 4-5 metres.

**Pollination** - No pollination required.

**Harvest** - Main crop late - April/May.

---

### **Figs Vlassoff**

Dark brown/red skin with red flesh. Large spheric shaped fig.

**Habit** - Round top spreading tree. Figs will begin to bear fruit after 3-5 years

**Size** - 4 - 5 metres.

**Pollination** - No pollination required.

**Harvest** - First crop or breba figs form on last years, growth and will not grow until spring. These ripen December- January depending on site and variety selected. Second crop figs form during the summer growing season and ripen in the Autumn, from late March to May. To enhance development of late crop figs tip the new shoots to 4 or 5 leaves in mid December. Breba crop, main crop late - April.

---

## Figs Windleburn No2

Purple/brown skin with dark red flesh. Large obilque pyriform shaped fruit.

**Habit** - Round top spreading tree. Figs will begin to bear fruit after 3-5 years.

**Size** - 4-5 metres.

**Pollination** - No pollination required.

**Harvest** - First crop or breba figs form on last years, growth and will not grow until spring. These ripen December- January depending on site and variety selected. Second crop figs form during the summer growing season and ripen in the Autumn, from late March to May. To enhance development of late crop figs tip the new shoots to 4 or 5 leaves in mid December. Breba crop, main crop late - April/May.

---

© 2007 Tharfield Nursery Ltd - Website by [KingGrapes](#)

### Disclaimer

The information contained in this website is a general guide only. Whilst every effort is made to print accurate information, no responsibility is accepted by Tharfield Nursery Ltd or any employee for opinions expressed or information printed. We encourage anyone considering planting commercially to get advice from local consultants with experience in their specific area as they will be able to assist with crop suitability and cultivar choice.