



vše o pěstování kiwi a jiných rostlin u nás

[Obsah fóra](#) < [ROSTLINY](#) < [FIKOVNÍK \( Ficus \)](#)



[FAQ](#)



[Galerie](#)



[Registrovat](#)



[Přihlásit se](#)

[Verze](#)

[Změnit](#)

[pro](#)

[velikost](#)

[tisk](#)

[textu](#)

## Fíkovník

Moderátor: [Stanley\\_51](#)

Odeslat odpověď

**ODPOVĚDĚT**

**ODPOVĚDĚT**

Příspěvků: 1107 • Stránka 14 z 74 • 1 ... 11121314151617 ...

74

od [Stanley\\_51](#) v leden 3, 2008, 4:57 pm

Vancouver Brunswick Fig Tree



[Stanley\\_51](#)

redaktor

**REDAKTOR**

Příspěvky: 1801

Registrován: květen  
12, 2007, 10:02 am

Bydliště: Tachov 520  
m.n.m.





This is the first fig tree that I grew from a cutting. It was started during the winter of 2003-2004, from a 'found' pruning. The variety is tentatively identified as "Brunswick", which is also called "Dalmatian" and "Magnolia" and some other names. Since figs grow easily from cuttings, their names tend to morph as a tree's origin is forgotten and new trees are grown from local trees of unknown heritage.

This tree has delicious, large, figs. The first crop was about 1/2 dozen figs , main crop, last year (while in it's second 'leaf'). It has 2 breba now, and I'm starting to see suggestions of embryonic main crop - which I'm hoping will result in a bowl full of tasty fruit.

Toto je článek jednoho z pěstitelů fíkovníku v USA, konkrétně ve Vancouveru / Washington /. Jedná se o stejnou odrůdu, kterou mám já - Dalmatian.

---

[Stanley\\_51](#)

<http://www.fikovniky.com/stanley/>

Nahoru

od [Stanley\\_51](#) v leden 3, 2008, 5:44 pm

Je?tě jeden zajímavý článek, je to popis odrůd a jejich synonyma.



## Fig Varieties

Condit's massive Fig Varieties: A Monograph (see Suggested Reading) identifies 89 caprifig, 129 Smyrna, 21 San Pedro, and 481 common fig varieties for a total of 720 varieties. Some of these varieties were never introduced into the United States; others were tried, found wanting, and discarded. This publication lists more than 50 varieties including most of the figs available in the trade plus a few other varieties thought worthy of wider use. The varieties are divided into green and yellow figs and dark-colored figs and are arranged alphabetically by their most common name. Bold type is used to designate the "correct" name, or the one found in Condit's authoritative monograph on fig varieties. If the name is not in bold type, the variety is not covered by Condit or later authors.

### Green and Yellow Figs

**Adriatic** - A medium-sized green to greenish yellow fig shaped like a top, with light strawberry pulp and good flavor. Turbinate with a small neck or no neck. Very subject to mosaic virus. Well adapted in the Northwest but disappointing in the South. Fairly hardy. Good for drying. Synonyms: Chico, Grosse Verte, Nebian, Strawberry, Verdone

**Alma** - A small- to medium-sized golden brown, pear-shaped (pyriform) fig with amber pulp. Sweet and delicate flavor. Bred by Texas A&M and released in 1975. Well adapted in the Southeast. Highly resistant to fruit rots. Wood is very hardy.

**Blanche** - An old, reliable variety usually called Lemon in the South. A medium to large greenish yellow fig with white pulp and many seeds. Top-shaped (turbinate) without a neck. Sweet and delicate flavor with a nutty texture from the soft seeds. Some specimens produce fruit that have open eyes; others have fruit with relatively closed eyes. Well adapted in the South. Fairly hardy. Synonyms: Bianci, Lemon, Marseilles, Mayes Yellow, White Marseilles, White Russian

**Brunswick** - A medium to large fig with bronzy yellow skin and rich flavor. Oblique- turbinate. Well adapted in the Southwest and drier areas of the South. The fruit is ruined by excessive rain since it has open eyes. Fairly hardy. Synonyms: Dalmatian, Madonna, Magnolia

**Calimyrna** - The California commercial fig. A large yellow fig with amber pulp and a large open eye. Oblate-spherical. Sweet, very rich nutty flavor. Numerous seeds. Smyrna type. Needs pollination. Not practical for southern growers. Synonyms: Erbeyli, Lop Injir, Sari Lop

**Conadria** - A medium to large yellow-green fig with light strawberry pulp and rich flavor. Bred by Ira Condit and released in 1957. Pyriform. Well adapted in California and the Southeast. Hardy with good rebound from freezes. Synonyms: Adriatic Hybrid, Verdone Hybrid

**Stanley\_51**

redaktor

**REDAKTOR**

Příspěvky: 1801

Registrován: květen  
12, 2007, 10:02 am

Bydliště: Tachov 520  
m.n.m.



Excel - A medium-sized yellow fig with amber pulp. Also bred by Ira Condit and released in 1975. Oblate to spherical. Well adapted in California. Early trials in the Southeast are very promising. Seems to be very hardy. Superb flavor. Synonym: Kadota Hybrid

Flanders - A greenish yellow medium-sized fig with violet stripes and amber pulp. Bred and released by Ira Condit in 1975. Pyriform with a long, slender neck. Fine flavor. Plants are vigorous but not particularly hardy. Good on the West Coast. Synonym: Verdane Hybrid

Gillette- A large, edible caprifig with fair flavor. Pyriform with a distinct neck. Adapted in northern California and the Northwest. Not so good in the South. Synonyms: Croisic, Cordelia, Pingo de Mel

Green Ischia- A small grass-green fig with dark strawberry pulp. Oblate to spherical. Small, fairly well-closed eye. Good quality but not as good as Brown Turkey. Matures late. Fairly hardy. Synonyms: Coeur, Verdale, Verte

Gulbun - A large light green to pale yellow fig with a translucent pulp tinged with pink. Good flavor. Seems moderately hardy. Bred by Ira Condit. Synonyms: Galbun, Jewel

Ischia - A small- to medium-sized yellow fig with fair flavor. Oblate to spherical with or without a short neck. Well adapted in coastal California. Its quality in the South is poor. Synonyms: Brockett Hall, Singleton, White Ischia

Jurupa - A very large green fig with pink pulp and a medium-sized closed eye. Pyriform. A Condit hybrid selected by Julius Enderud. Good flavor. Under trial in the South. Somewhat hardy but tends to leaf out early--a negative point in areas with late frost.

Kadota- A greenish white small- to medium-sized fig. Pyriform. Vigorous. Delicious fresh or dried. It is a rich, sweet, all-purpose fig and the most common canned fig. Well adapted in the Southwest and drier areas of the South. Fairly hardy. Synonyms: Dottato, Honey Fig

King - A medium-sized greenish yellow fig with strawberry pulp. Pyriform to oblique. It ripens a large breba crop between late June and August. A San Pedro type, it sometimes sets main-crop figs without pollination. Sweet and rich. Well adapted in the Northwest and cooler areas of the South. Fairly hardy. Synonyms: Desert King, White King

Lattarula- A medium to large yellowish green fig widely grown in the Northwest. It is said to be very sweet. Condit does not identify it as a distinct variety and considers it a synonym for Blanche. Alabama Extension horticulturists reserve judgment pending further study. Synonym: Italian Honey Fig

LSU Gold - A large yellow fig blushed with red. Strawberry pulp. Its flavor is outstanding. Rumored to have been bred at Louisiana State University but never officially released. Has a small eye that leaks honeydew. Deserves wider trials.

Mary Lane- A medium-sized yellow unidentified fig said to have originated in California. Oblate-spherical. The fruit is very juicy, sweet, and seedless. Well adapted in all fig areas. Synonyms: Jelly, Seedless

Panachée - A chimera that produces green fruit with yellow stripes and strawberry pulp. Pyriform with a prominent neck. Mealy texture. Leaf is not variegated. Aficionados in California say it can produce excellent, fresh fruit. In the South, its flavor is mediocre. Synonyms: Panache, Tiger, Variegato

Tena - A medium to large greenish yellow fig with light strawberry pulp. Bred by Ira Condit and released in 1975. Oblate with a small neck or no neck. Widely adapted but likes hot, dry weather. Somewhat hardy. Very sweet but not rich.

Verte - A medium to large grass-green fig with dark strawberry pulp. Brebas are rare. Shape is pyriform with or without a neck. Eye is small and fairly well closed. Excellent flavor. Under trial in the South. Synonyms: Ischia Gree, Verdae, Coeur, Figue d'Espagne

#### Dark-Colored Figs

Beall - A medium to large purplish black fig with amber pulp. Brebas are pyriform with prominent necks; main-crop figs are oblate to pyriform with short, thick necks. Very good flavor. Well adapted in California and hardy in the South. A chance seedling was found in California in the 1920s. No known synonyms.

Black Jack- A large to very large purple-brown fig with amber pulp streaked with strawberry. Oblate and flattened. Good flavor. Fairly hardy. Black Jack is an unidentified variety. Some think it is identical to California Brown Turkey. Not hardy. Synonym: Black Spanish

Bordeaux - A large almost black fig with a very deep-red pulp and a distinctive but agreeable acid flavor. Brebas are pyriform with thick, tapering necks; main-crop figs are variable, often without necks. Medium-sized eye. Excellent fresh or dried. Well adapted in the South and Southwest. Fairly hardy. Synonyms: Beer's Black, Negronne, Violette de Bordeaux

Brown Turkey - A small- to medium-sized light brown to violet fig with strawberry pulp. Turbinate to oblique, mostly without a neck. Small eye has a reddish color from very early stage (unlike Celeste). Cold hardy. It fruits on new growth if winterkilled. Often bears two crops a year. Very sweet but not rich. Synonyms: Eastern Brown Turkey, English Brown Turkey, Everbearing, Texas Everbearing

California Brown Turkey- A large purplish brown fig with good flavor. Brebas are oblique-pyriform and sometimes elongated; main-crop figs are oblique-pyriform with variable necks. Well adapted in California. Not hardy enough for the South. According to Condit, the proper name for this variety is San Piero, but few call it that. Other synonyms: Black Jack(?), Black Spanish, San Pedro, Thompson's Improved Brown Turkey

Celeste - A small- to medium-sized fig with light brown to violet skin and strawberry pulp. Pyriform with a tapering neck. Small, closed eye. The eye remains green until the fig is almost ripe (unlike Brown Turkey). Very cold hardy. Excellent fig--arguably the finest southern fig but usually disappointing in California and the Southwest. Condit writes that its proper name is Malta, but no one uses that name. Other synonyms: Celestial, Conant, Sugar Fig, Tennessee Mountain Fig

Early Violet - A small to very small chocolate-brown fig with amber to pink pulp. Turbinate to oblate-spherical. No brebas, but the main crop is early. Fair to good quality. Once very popular in the South. Susceptible to mosaic, which dwarfs fruit and leaves. No significant synonyms.

Hardy Chicago- A small- to medium-sized fig with light brown to violet skin and strawberry pink pulp. Small eye. Pyriform with a long, slender neck. Excellent flavor and very hardy. Resembles Brown Turkey.

Hunt - A small brown fig with amber pulp tinged with strawberry. Bred by E.W. Hunt of Eatonton, Georgia, in the 1920s. Pyriform with a short, distinct neck. Distinctive feature is its long, slender stems to 3/4 inch, which help it shed rain and thus prevent souring. Superb flavor, sweet and rich. Not a heavy bearer but well adapted in the rainier areas of the South. No synonyms.

Ischia Black - A small purplish black fig with strawberry pulp. Turbinate. Fairly sweet and rich flavor. Well adapted in coastal California but not very productive in the South. Not particularly hardy. Has been replaced by Celeste. No significant synonyms.

LSU Purple - A small- to medium-sized purple fig with strawberry pulp. Variable shape and flavor. Bred by E.N. O'Rourke and released by Louisiana State University in 1991. Its stems are always purple. LSU says the plant is nematode resistant. Well adapted to the Deep South. Hardiness not established. Seems tender. No synonyms.

Malcolm's Super Giant- A medium to large brown, pyriform fig with strawberry pulp. Still under evaluation by Alabama Extension horticulturists, but it seems promising. Some say it is a synonym for Guilbeau; however, others think the fruit seems quite different.

Mission - A large black fig with light strawberry pulp. Brebas are pyriform with prominent, thick necks; main-crop figs are smaller, more variable, and pyriform. Well adapted in California. Disappointing in the South since it is not very hardy. Often infected by mosaic, which mottles the leaves but does not seem to affect the crop. Synonyms: Franciscana, Black Mission

Nero - A large purplish black fig with light pink pulp. Turbinate-pyriform with a flattened apex. Eye is medium-sized and open. Very good to excellent flavor--fairly sweet and rich. Well adapted in the Southwest and South. Synonyms:

## Barnisotte, Brogiotto Nero

Neveralla - A medium-sized bronze to brown fig with white to amber pulp. Brebas are pyriform with prominent necks; main-crop figs are pyriform to turbinate with thick necks. Variable stalks. Fair flavor. Resembles Osborn Prolific.

Synonyms: Archipel, Osborn, Osborne's Prolific

Osborn Prolific - A medium-sized bronze to brown fig with amber to light strawberry pulp. Main-crop figs are pyriform with variable necks. Long, slender stalks to 1 inch long. Sweet and rich flavor. Well adapted in all fig-growing areas.

Hardy. Very productive. Synonyms: Archipel, Hardy Prolific, Neveralla, Osborne, Rust

Pasquale - A small purple fig with strawberry pulp distinguished by its late ripening--often in December or January.

Oblate-spherical to pyriform with a short, thick neck. Not hardy. Fruit is sweet and rich when not damaged by frost.

Synonyms: Natalino, Vernino

Petite Negri- A medium to large black fig introduced by Mike McConkey of Edible Landscaping in the 1980s. Good flavor. Its leaves resemble those of Bordeaux. Alabama Extension horticulturists have not been successful in fruiting it, but descriptions and photographs by others suggest it is either a Bordeaux or a sport of it.

Royal Vineyard- A medium-sized bronze to brown fig with light strawberry pulp. Brebas are pyriform with prominent thick, curving necks. A San Pedro type. Produces brebas only. Not worth growing in the South due to the late frosts that destroy the fruit in most years. A vigorous plant. It might deserve a trial in the North and West. Synonym: Drap d'Or

Sal's Fig- A small- to medium-sized unidentified black fig with good flavor. Well adapted in the Northeast. A local nursery (no mail order) on Long Island introduced it. It is extremely hardy--it seems somewhat hardier than Celeste.

Plants are vigorous and productive.

Pokud si chcete přečíst celé pojednání, je zde.

<http://www.aces.edu/pubs/docs/A/ANR-1145/>

*Stanley\_51*

<http://www.fikovniky.com/stanley/>

Nahoru

od **triodyn** v leden 3, 2008, 6:30

pm

**triodyn**

čestný člen

HMMMMMM,mám dojem,že u flaxe je to srozumitelněj?í. 😊

Zase jsi rozjel ty svoje kurzy? 😊😊



Příspěvky:

1268

Registrován:

květen 13,  
2007, 8:27  
pm

Bydliště:

KOSTELETZ

(ol)

Nahoru

od **Stanley\_51** v leden 3, 2008, 7:32 pm

Jedna dobrá adresa, pokud si chcete zjistit, co vlastně pěstujete za kultivar.

<http://figs4fun.com/>

A triodyne, každý má svůj styl a každý si může najít to, co mu vyhovuje. 😊

**Stanley\_51**

<http://www.fikovniky.com/stanley/>



**Stanley\_51**

redaktor

**REDAKTOR**

Příspěvky: 1801

Registrován: květen  
12, 2007, 10:02 am

Bydliště: Tachov 520  
m.n.m.



Nahoru

od **triodyn** v leden 3, 2008, 8:10 pm

Ok,já jsem se tě nechtěl nějak dotknout 😊😊,musím s tím psaním trochu přibrzdit.

**triodyn**

čestný člen



Příspěvky:

1268

Registrován:



květen 13,  
2007, 8:27  
pm  
Bydliště:  
KOSTELETZ  
(ol)

Nahoru

od **Tchorik** v leden 3, 2008, 10:28 pm

Triodyne, delej to jako ja, slintej nad obrazky (ale pozor, nesmis byt nahnuty nad klavesnici, nedela ji to dobre 😄) - to jsem se naucila od deti - taky neumi cist, tak si alespon prohlizeji. Ja to delam uplne stejne. Z angliny znam par zakladnich slovicek - jsem ten vecny zacatecnik, co se poslednich par let nepokousi uz ani znovu zacit 😞



**Tchorik**

čestný člen



Příspěvky:

1517

Registrován:

květen 14,  
2007, 8:18  
am

Bydliště: Plzeň



Nahoru

od **Stanley\_51** v leden 3, 2008, 11:39 pm

Triodyne, já nejsem chytlavej. Já to beru sportovně, jenom vám hledám různé informace. Já taky lezu po různých fórech a hledám, jako ty. Ka?dej to dělá trochu jinak.

**Stanley\_51**

<http://www.fikovniky.com/stanley/>



**Stanley\_51**

redaktor

**REDAKTOR**

Příspěvky: 1801

Registrován: květen  
12, 2007, 10:02 am

Bydliště: Tachov 520

m.n.m.

[Nahoru](#)od **triodyn** v leden 6, 2008, 9:10 pm

ORIDE.

Tchoriku, já mám taky snahu u? pár let na tu angličtinu, ale jsem stejný jako ty 😊, fakt je ten, že kdy? není zbylí a něco je napsany v růz. cizích jazycích, abych s toho něco vydedukoval, přepnu na angličtinu, trochu lep?í je to s ru?tinou. -jak kdy..... 😊

**triodyn**

čestný člen



Příspěvky:

1268

Registrován:

květen 13,  
2007, 8:27  
pm

Bydliště:

KOSTELETZ  
(ol)[Nahoru](#)od **paloo** v leden 6, 2008, 9:18 pm

Triodyne ja nemám problém viem si rozkáža? no neviem sa poslúchnú? 😞

**paloo**

čestný člen



Příspěvky: 1591

Registrován: srpen  
11, 2007, 4:16 pm

Bydliště: púchov

[Nahoru](#)od **Stanley\_51** v leden 8, 2008, 3:10  
pm

<http://www.cel.hr/skink/d1.htm>

[http://www.istrianet.org/istria/flora/f ... mokva1.htm](http://www.istrianet.org/istria/flora/f...mokva1.htm)

<http://rast-bs.si/hr/index.html>

[http://www.szjk.hr/ponuda\\_voce1.htm](http://www.szjk.hr/ponuda_voce1.htm)

Vcelku zajímavé adresy Chorvatska a Slovinska.

---

**Stanley\_51**

<http://www.fikovniky.com/stanley/>



**Stanley\_51**

redaktor

**REDAKTOR**

Příspěvky: 1801

Registrován: květen  
12, 2007, 10:02 am

Bydliště: Tachov 520  
m.n.m.

[Nahoru](#)

od **Stanley\_51** v leden 10, 2008, 5:41 pm

Na níže uvedených snímcích je japonská metoda pěstování fíkovníku, která by byla řešením pro naše podmínky. Bylo by totiž jednodušší vytvořit nějaký ochranný kryt na zimu.



---

**Stanley\_51**

<http://www.fikovniky.com/stanley/>



**Stanley\_51**

redaktor

**REDAKTOR**

Příspěvky: 1801

Registrován: květen  
12, 2007, 10:02 am

Bydliště: Tachov 520  
m.n.m.



[Nahoru](#)

od **Tchorik** v leden 11, 2008, 12:00 am

To vypada moc zajimave. Nebyl by tam i nejaky navod pro tchoriky, ktery tomu moc nerozumi? 😄



**Tchorik**

čestný člen



Příspěvky:

1517

Registrován:

květen 14,  
2007, 8:18  
am

Bydliště: Plzeň



Nahoru

Odesláno od **Stanley\_51** v leden 11, 2008, 11:49 am

Tchoříku, pro tebe udělám cokoliv. Tady má? ten návod.

## The method for growing figs in Japan (with link to original site)

These photos of pruned, dormant figs are from a web site by Ken Love in 2004. It basically looks like a modified espalier style of pruning the fig trees. He describes the Japanese method as (paraphrased from the linked site):

Young trees are grown to about 2 meters tall. They are then gradually lowered to a horizontal position, over a period of about 10 days. These cordons are then tied to horizontal supports, about 40 cm above the ground.

A pair of verticals can be tied in opposite directions; or 4 in an X pattern. The lateral's tips are pruned at a length of 2.5 to 5 meters.

During the dormant season, the vertical branches are pruned to 2 to 3 nodes each. When shoots appear, only the outermost shoot is kept. During Spring, shoots for fig production sprout from the horizontal limbs. These are pruned such that new upright cordons are 30cm to 50 cm apart, with 50 being considered optimal for production. The vertical shoots are tied to supports. Each vertical produces 18 to 20 fruit per season.

There are many more photos on the site; I could not find clear photos of figs in production stage. This looks like a

**Stanley\_51**

redaktor

**REDAKTOR**

Příspěvky: 1801

Registrován: květen  
12, 2007, 10:02 amBydliště: Tachov 520  
m.n.m.

nice method for back-yard production of figs, since it could be applied to a limited space. 😊

[Stanley\\_51](#)

<http://www.fikovniky.com/stanley/>

[Nahoru](#)

od **vaclav sejkora** v leden 11, 2008, 12:21 pm

Takhle nízko zapěstované fíkovníky mám asi tři, ale jsou v květináči, které zimují v chladu. Asi dvě z jara vysadím ven a udělám pokus na příští zimu. Jednu rostlinu jsem loni vysadil do dolíku ve stráni, který je celý vyložen černým čedičem pro větší akumulaci tepla. Jenom jsem ho zasypal rašelinou. Na jaře se uvidí.

ažek

**vaclav sejkora**

čestný člen



Příspěvky:

792

Registrován:

červenec 15,  
2007, 12:07

pm

Bydliště:

děpoltovice

[Nahoru](#)

od **Tchorik** v leden 12, 2008, 1:26

am

Stanley, když cokoliv, tak cokoliv - prosím přeložit 😂😂😂



**Tchorik**

čestný člen



Příspěvky:

1517

Registrován:

květen 14,  
2007, 8:18



◀ Předchozí Zobrazit příspěvky za předchozí:

Seřadit podle

Další ▶

Odolat odpověď

Příspěvků: 1107 • Stránka 14 z 74 • 1 ... 11121314151617 ...

**ODPOVĚDĚT** ↩

74

◀ Zpět na FIKOVNIK ( Ficus )

Přejít na:

#### Kdo je online

Uživatelé procházející toto fórum: Žádní registrovaní uživatelé a 1 návštěvník

[Obsah fóra](#)

• [Tým](#) • [Smazat všechny cookies z fóra](#) • [Všechny časy jsou v UTC + 1 hodina \[ Letní čas \]](#)

